

Self Mailing Systems

§ Formax

CATEGORY: Self Mailing Systems

PRODUCT: AutoSeal Pressure Sealers

COMPANY: Formax, 1 Education Way, Dover, NH 03820 Phone: 800-232-5535. Email: cmacneil@formax.com.

FD 1402 PRESSURE SEALER: The FD 1402 AutoSeal® offers a user-friendly low-volume solution for processing one-piece pressure sensitive mailers.



FD1402 Pressure Sealer

With a speed of up to 73 forms per minute and the ability to process forms up to 14" in length, the FD 1402 enables operators to complete daily processing jobs with ease. Standard features include redesigned fold plates that are clearly marked and easier to adjust, a control panel with six-digit resettable counter, and drop-in top feed system, all in a compact and sleek desktop design. Fold plates are pre-marked for standard folds for 11" and 14" form sizes, and can be easily adjusted for custom folds. Built in the USA with proven Formax technology, the FD 1402 is an economical solution with quality and reliability.

FD 1502 PRESSURE SEALER: The FD 1502 AutoSeal® is an ideal mid-volume solution for processing one-piece pressure sensitive mailers.



FD1502 Pressure Sealer

With a speed of up to 100 forms per minute, in sizes up to 14" in length, the FD 1502 enables operators to complete daily jobs with ease. Newly redesigned fold plates are clearly marked and easier to adjust, making the FD 1502 a breeze to set up, right out of the box. With the capacity to process 14" forms, it has the versatility to fold and seal virtually any mid-volume application to meet your needs. Fold plates are marked for four standard folds - Z, C, Uneven Z and Half folds - and can be easily reset for custom folds including Eccentric Z and C-fold mailers. The compact, sleek design and ease of operation make this unit ideal for processing documents in an office environment with mid-volume applications. Built in the USA with proven Formax technology, the FD 1502 provides an economical solution with quality and reliability.

FD 1502PLUS PRESSURE SEALER: The FD 1502 Plus AutoSeal® offers a user-friendly mid-volume solution for processing one-piece pressure-sensitive mailers.



FD1502PLUS Pressure Sealer

A processing speed of up to 6,250 forms per hour enables operators to complete daily jobs with ease. Plus, the integrated output conveyor keeps processed forms in a neat, sequential order, ready for the mail. Newly redesigned fold plates are clearly marked and easier to adjust, making the FD 1502 a breeze to set up, right out of the box. With the capacity to process 14" forms, it has the versatility to fold and seal virtually any mid-volume application to meet your needs. Fold plates are marked for four standard folds - Z, C, Uneven Z and Half folds - and can be easily reset for custom folds including Eccentric Z and C-fold mailers. The compact desktop design and ease of set-up and operation make this unit ideal



Formax FD2054

for small offices or individual departments. Built in the USA with proven Formax technology, the FD 1502 Plus is an economical solution with quality and reliability.

FD 2054: The new FD 2054 joins the Formax AutoSeal line, replacing the FD 2052, and utilizes the latest Formax folding technology. The FD2054 is a fully automatic pressure sealer which provides the ultimate tabletop solution for processing pressure sensitive one-piece mailers. Forms are processed at speeds up to 16,450 per hour, and are output to an integrated telescoping conveyor with automated nip roller positioning, capable of holding up to 500 processed forms. Designed with ease of operation and efficiency in mind, the FD 2054 automatically detects and adjusts for 11", 14" and 17" forms. It features 5 pre-programmed standard folds for even panel C, V, Z and uneven/eccentric C and Z folds. It also has the ability to store up to 35 custom fold settings with the simple touch of a button. The FD 2054 utilizes a drop-in three-roller feed system which produces dependable feeding of forms with no paper fanning required. The large 2.8" (71mm) backlit LCD display and user friendly control panel allow for untrained operators to walk up and start processing pressure seal forms with little to no instruction. The FD2054 advanced software allows for all standard fold types and paper sizes to be customized to meet your particular needs. The duty cycle has been dramatically increased from 125,000 pieces/month to 200,000/month. Options include a fully enclosed cabinet for storage and 402 Series Joggers to reduce static electricity and align forms for proper feeding.

FD 2094/FD 2084 AUTOSEAL MID-VOLUME PRODUCTION PRESSURE SEALERS: The FD 2094 is designed for high-volume cut-sheet pressure seal applications at speeds of up to 28,000 forms per hour and a monthly duty cycle of up to 400,000 mail-ready pieces.

The air feed folder system and high-capacity 31" sequential out feed stacker combine to offer continual loading of cut-sheet forms. Additional features include six pre-programmed fold settings, three custom-fold settings, and the ability to process forms up to 20" in length. The FD 2084 combines the FD 2094 with the Formax 676 Maxi-Burster to process continuous pressure seal forms in-line.



Formax FD2094

2200 SERIES AUTOSEAL AUTOMATIC HIGH-VOLUME PRESSURE SEALER:

The 2200 Series is a high-volume pressure sealer, offering fully automated settings to provide for quick and easy setup of different jobs. Processing speeds are up to 40,000 forms per hour. Three cut-sheet models and a continu-



2200 Series Pressure Sealer

ous form model are available that offer different in-feed options: the FD2200 utilizes an air-feed system with a capacity of up to 500 forms; the FD 2200-EX offers an extended air-feed system to reach a capacity of up to 1,000 forms; the FD 2250 utilizes a pile feed system to reach a total capacity of up to 3,500 loaded forms; and the FD 2280 is in-line with the FD 680 Burster for processing continuous forms. All 4 models produce fast and accurate folds to deliver a secure and time-effective finished product ready for the mail.

THE FD 2002 DESKTOP PRESSURE SEALER: The FD 2002 replaces the FD 2000 and offers increased speed, capacity, and a new fold plate design. The FD 2002 now has a hopper capacity of 250 forms, with a speed of up to 8,000 per hour. It features redesigned sliding fold plates, which are easier to adjust, and fine-tune knobs for crisp, precise folds. Standard folds include C, V, Z and uneven C and Z folds, in addition to custom fold settings. The FD 2002 utilizes a drop-in three-roller feed system which produces dependable feeding of forms with no paper fanning required. It has a user-friendly touch-pad control panel, LED indicators, six-digit counter, jog control, and fault detection. Options include a locking cabinet and a choice of two conveyors with photo eye for neat, sequential stacking of processed forms. The FD 2002 is also available as a package, which includes the pressure sealer,



FD2002 Desktop Pressure Sealer

cabinet and conveyor at a reduced price.

THE FD 2032 DESKTOP PRESSURE SEALER: The FD 2032 replaces the FD 2030 and offers increased speed, capacity, and a new fold plate design. The FD 2032 now has a hopper capacity of 350 forms, with a speed of up to 11,000 per hour. It features redesigned sliding fold plates, which are easier to adjust, and fine-tune knobs for crisp, precise folds. Standard folds include C, V, Z and uneven C and Z folds, in addition to custom fold settings. The FD 2032 utilizes a drop-in three-roller feed system which produces dependable feeding of forms with no paper fanning required. It has a user-friendly touch-pad control panel, LED indicators, six-digit counter, jog control, and fault detection. Options include a locking cabinet and a choice of two conveyors with photo eye for neat, sequential stacking of processed forms. The FD2032 is also available as a package, which includes the pressure sealer, cabinet and conveyor at a reduced price.

FORMAX FD 2002IL PRESSURE SEAL SYSTEM: The FD2002IL System allows operators to print, fold and seal pressure-sensitive one piece mailers in one step, reducing processing time while increasing document security. The IL System works in-line with model-specific MICR and non-MICR desktop laser printers. The fully-enclosed paper path is designed to conceal confidential documents, including PIN notices, checks,



Formax FD2000IL Pressure Seal System

school grade reports and health care information. The IL System incorporates the industry-leading FD 2002 AutoSeal® which features a user-friendly LED control panel and pre-marked fold settings for 11" and 14" standard forms. The IL Alignment Base joins the FD 2002IL with the laser printer, and has an easy-pull design which allows the printer to be pulled away from the pressure sealer, providing convenient access to the paper path and fold plates. The FD 2002IL is ideal for companies processing sensitive documents or those looking for a mid-volume in-line solution for processing pressure seal forms.

FORMAX FD 1200 LOW-VOLUME PRESSURE SEALER:

The new FD 1200 AutoSeal offers a user-friendly, low-volume solution for processing one-piece pressure-sensitive mailers. It offers clearly marked fold plates and a drop-in feed system for easy setup and operation. The FD 1200 has a processing speed of up to 35 forms per minute, with the ability to process 14" forms, an integrated catch tray and double document detection.



Formax FD1200 Sealer

FORMAX FD 2200-10 STAND-ALONE PRESSURE SEALER:

The FD 2200-10 is a money-saving alternative to buying a completely new folding and sealing system, because it can be integrated into the current system, drastically reducing the up-front cost of adding pressure seal capabilities. The FD2200-10's patented pressure seal system has been engineered to process pressure seal forms at speeds of up to 40,000 pieces per hour, combined with heavy-duty construction built to last in the most demanding environments.



Formax FD2200-10

CONTACT: For more information, call 800-232-5535 or click www.formax.com.

Self Mailing Systems

§ InfoSeal

CATEGORY: Self Mailing Systems

PRODUCT: InfoSeal Self Mailing Products

COMPANY: InfoSeal, 1825 Blue Hills Circle NE, Roanoke, VA24012. Phone: 888-952-4636.

DESCRIPTION: InfoSeal is the leading trade manufacturer of pressure seal forms and machines. Offering the widest range of pressure seal machines and pressure seal forms in stock and custom formats. There is no better single source for high-quality forms, robust machines, and consistent post sale support. Pressure-seal self mailers comply with new postal regulations.

PS225: The InfoSeal PS225's user friendly design and robust construction provides long-lasting and reliable performance. The PS225 has long



PS800 Pressure Seal Folder Sealer

proven performance in both office and mail room environments.

PS800 PRESSURE SEAL FOLDER SEALER: The new and improved PS800 high-volume pressure seal folder sealer is available with three in-feed options including a jumbo roll feed config-

uration. It is the most advanced and productive pressure seal machine available. Configured as an 18" wide roll or sheet fed format, the PS800 is capable of folding and sealing 80,000 Snap Pak pressure seal mailers per hour. The two-wide formats often result in very significant imaging click savings for print mail installations.

PS600: The PS600 is a commercial-duty pressure seal machine. Its stop load feature and variable speed control ensures steady long term high-volume production. Configured in-line slitter for the two wide DOUBLE POSTCARDS is available ONLY from InfoSeal.

JUMBO ROLL PRESSURE SEAL: InfoSeal's 50" jumbo roll pressure seal forms for high-volume pressure seal installation.

DOUBLE POSTCARD PRESSURE SEAL SELF MAILER: Enjoy tremendous postage savings compared to standard mail formats. InfoSeal has special expertise in this product.

TWO WAY/REMITTANCE ENVELOPE: A pressure seal form with return envelope included.

PINSEAL SECURE SNAP PAK: Proprietary "no view" pin number and pass word mailer.

STOCK FORMATS: Over 50 off the shelf stock formats for any application.

PRESSURE SEAL SELF MAILER WITH A FREE INSERT: A free insert is offered within the sealed form.

DIGITAL PRINT READY: All of InfoSeal's stock formats are perfect for direct mail and transactional mail printed on digital color printers.


CONTACT: For more information, call 888-952-4636 or click www.infoseal.com.



InfoSeal PS225



InfoSeal PS 600



InfoSeal Two-Way Format