



INFORMED VISIBILITY[®]

Provisioning Mail Quality Data

v7.6, June 17, 2025



Overview

- [IV-MTR Overview](#)
- [MQD in IV-MTR](#)
- [Getting Started](#)
- [Special Scenarios](#)

Creating an MQD Data Feed

- [Accessing the IV-MTR Application](#)
- [Creating a Data Feed](#)

Managing Existing Data Feeds

- [Reviewing a Data Feed](#)
- [Modifying a Data Feed](#)
- [Disabling a Data Feed](#)
- [Deleting a Data Feed](#)

Troubleshooting Resources

- [IV-MTR Help Page](#)
- [PostalPro](#)
- [IV Solutions Center](#)

Appendix A – Change History & Acronyms

Appendix B – MQD File Characteristics & Conventions

Appendix C – Adding a Server to the Address Book

Appendix D – Data Delegation Overview

- [Requesting Data Delegation](#)
- [Viewing Data Delegated to You](#)
- [Deleting Data Delegated to You](#)
- [Delegating Data to Others](#)
- [Reviewing Data Delegation Requests](#)
- [Modifying Existing Delegations](#)

- Welcome to this guide for **Provisioning Mail Quality Data (MQD)** through the **Informed Visibility® Mail Tracking & Reporting (IV®-MTR)** application.

- This guide provides information about:
 - The IV-MTR application
 - Setting up your IV-MTR account to receive MQD
 - Modifying and deleting your MQD queries
 - MQD file conventions and characteristics
 - [Troubleshooting resources](#), including tutorial videos, detailed documentation, and the IV Solutions Center

- It also provides high-level guidance for:
 - Delegating MQD between Customer Registration IDs (CRIDs)
 - Managing servers associated with your IV-MTR account

- IV-MTR is an application that allows mailers to access the following types of Postal data:
 - **Mail Tracking (Scan)**
 - Event-based data that allows mailers to see where their mail is in the mailstream
 - **Mail Quality Data (MQD)**
 - Detailed error data from the Mailer Scorecard that allows mailers to improve their processes as they relate to the Streamlined Mail Entry program participation for:
 - Full-Service
 - eInduction
 - Seamless Acceptance
 - Move Update
 - **Enterprise Payment System (EPS)**
 - Payment data for mailings, PO Boxes, and other Postal products
 - **Package Platform Concept (PPC)**
 - Physical and payment data for packages
 - **Informed Delivery® Post-Campaign (IDPC) Detailed Data**
 - Processing, opens, and click-throughs for Informed Delivery interactive campaigns

- The MQD available in IV-MTR is pass-through data that is not generated by IV-MTR itself
 - Please see the [MQD Data Dictionary](#) information about the MQD provided in IV-MTR

- MQD in IV-MTR is available through a data feed*
 - Data feeds are subscriptions that allow you to receive MQD at intervals you select

- MQD Data Feeds:
 - Provide data from the current date forward
 - Historical MQD is currently unavailable in IV-MTR
 - Produce files that can be sent to a server or web service or downloaded online

**MQD is currently unavailable as a One-Time Query in IV-MTR.*

The MQD data feed output files are described in the table below.

File Format	Delimited (Importable into Excel)	JavaScript Object Notation (JSON)
Description	Text file that allows you to specify the delimiter character	Lightweight, text-based standard designed for data interchange
Available Delivery Methods	Secure File Transfer Protocol (SFTP) server* Online download	SFTP server* JSON web service Online download

Delimited files are easily imported into Microsoft Excel. Instructions for completing this task can be found on the [Microsoft Office Help Site](#) or in the [IV-MTR User Guide](#).

Detailed information about the output files, including naming conventions and formatting information, is provided in the [File Characteristics & Conventions appendix](#).

**If using SFTP, be sure to add the IV-MTR-specific IP addresses to your server firewall to ensure your system can receive data from IV-MTR. The IV-MTR IP addresses are available from the [IV Solutions Center](#).*

To receive MQD through IV-MTR, you need:

1. A [Business Customer Gateway \(BCG\)](#) account
2. IV-MTR privileges (requested and granted through the BCG)
3. A Business Service Administrator (BSA) to activate your CRID(s) in IV-MTR

Detailed instructions for completing these steps are available in the [Applying for Access to IV-MTR](#) training and [IV-MTR User Guide](#) document.

Before proceeding, users must verify they have the correct level of access to create data feeds.

- **Only BSAs, BSA Delegates, and users that have been granted Subscription Manager roles can create and manage data feeds.**
 - By default, all users can view existing data feeds.

For more information on the user levels and roles in IV-MTR, please see the [IV-MTR User Guide](#).

■ The IV-MTR application allows you to access and manage MQD for your organization. There are some special scenarios to consider before setting up your data feed(s).

■ **Want to share visibility of your MQD with another CRID?**

- If your organization has several CRIDS of your own that you would like to track through one account, OR if your organization manages IV-MTR data for other organizations, use the IV-MTR feature of Data Delegation.
- See the [Data Delegation appendix](#) for more information.

■ **Only want to share your MQD?**

- If your organization would like to delegate its MQD information to a third party (such as a mail service provider) instead of directly accessing and managing the MQD information, it may not be necessary to register for the IV-MTR service.*
- Contact the [IV Solutions Center](#) for more information.


**Note that BCG registration will still be required.*

Creating an MQD Data Feed

When you are ready to access the IV-MTR application, you have two options:

- **Option 1: Directly**

1. Go to <https://iv.usps.com>.
2. Click **Log In** and log in with your BCG username and password



**UNITED STATES
POSTAL SERVICE®** Gateway / USPS.com / Help

Informed Visibility® Mail Tracking & Reporting

Welcome to Informed Visibility Mail Tracking & Reporting (IV®-MTR), the U.S. Postal Service source for near real-time letter and flat mail tracking information.

The IV-MTR application:

- Provides end-to-end mail tracking information for letter and flat pieces, bundles, handling units, and containers
- Leverages intelligence to create logical and assumed handling events to provide expanded visibility
- Improves ease of use through flexible data provisioning and delegation

Need more information? [Click here](#) for documents and Tutorial videos on how to navigate the IV-MTR application


[Click here](#) for documents related to Service Standard Reference Data

Watch the IV-MTR benefits overview video.
For more information, visit the IV-MTR page on [PostalPro](#).

LOG IN **SIGN UP**

- **Option 2: Through the BCG**

1. Log into <https://gateway.usps.com>.
2. Go to **Mailing Services > Informed Visibility**.
3. Click **Go to Service**.




incentive programs [more info >](#)

Informed Visibility [more info >](#) **GO TO SERVICE**

Intelligent Mail Small Business (IMsb) Tool [more info >](#)

- When you log in to IV-MTR, the homepage (the **Queries & Feeds** page) appears.
- MQD data is available through a data feed. To begin setting up a data feed, click the **Create & Manage Data Feeds** tab.



The screenshot shows the 'Informed Visibility' web application interface. At the top, there is a navigation bar with the USPS logo and the text 'UNITED STATES POSTAL SERVICE®'. The main navigation menu includes 'QUERIES & FEEDS', 'DATA DELEGATION', 'ADDRESS BOOK', and 'ROLES & PERMISSIONS'. A user profile bar at the top right shows 'Hello, IV_Communications', 'Gateway', 'USPS.com', 'Help', and 'Logout'. A notification bell icon is on the left, and a status indicator shows '0 Data Delegation Requests Pending Approval for My CRID'. The main content area is titled '1. SELECT ENTITY(s) > 2. SELECT DELIVERY METHOD > 3. DEFINE FILTERS & FIELDS'. It features a 'LOAD SAVED REPORT' button, an 'Include Origin Scans' checkbox, and two search sections: 'Select CRID(s)' and 'Add MID(s)'. The 'Select CRID(s)' section contains a search input and a table with one entry: 'IV Communicators' with CRID '94825367'. The 'Add MID(s)' section contains a search input and a table with the text 'Select a CRID or search for MIDs'. A 'Your selected MIDs' table is empty. At the bottom, there are 'LOAD SAVED ENTITY' and 'SAVE ENTITY' buttons. The 'Create & Manage Data Feeds' button in the top navigation is highlighted with a red box.

UNITED STATES POSTAL SERVICE® Informed Visibility®

QUERIES & FEEDS DATA DELEGATION ADDRESS BOOK ROLES & PERMISSIONS

Hello, IV_Communications Gateway USPS.com Help Logout

0 Data Delegation Requests Pending Approval for My CRID

View Data **Create & Manage Data Feeds**

1. SELECT ENTITY(s) > 2. SELECT DELIVERY METHOD > 3. DEFINE FILTERS & FIELDS

LOAD SAVED REPORT

Include Origin Scans

Select CRID(s)

Search for a CRID from the list below

COMPANY NAME ▲	CRID
IV Communicators	94825367

+ ADD ALL CRIDs

LOAD SAVED ENTITY

Add MID(s)

Search for a MID

COMPANY NAME ▲	MID
Select a CRID or search for MIDs	


Your selected MIDs

COMPANY NAME ▲	CRID/MID
----------------	----------

SAVE ENTITY

The **Create & Manage Data Feeds** screen appears.

- The **Your Feeds** section on the left displays existing data feeds. Here you can view or modify the details of a data feed and view or retrieve a feed's output history.
 - This area is viewable by all users.
- The **Create a New Feed** section on the right is where you create a new data feed.
 - This area is only viewable to BSAs, BSA Delegates, and Subscription Managers.



UNITED STATES POSTAL SERVICE® Informed Visibility®

Hello, IV_Communications Gateway USPS.com Help Logout

QUERIES & FEEDS DATA DELEGATION ADDRESS BOOK ROLES & PERMISSIONS

View Data Create & Manage Data Feeds

2 Data Delegation Requests Pending Approval for My CRID

Your Feeds

Feed Name	Entity Name	Mail Object Type	Target	File Format	Frequency	Active	# of Failed Files	Output History	Details
Daily Scan Data		Piece	N/A	DELIMITE...	1 Day(s)	Active	-		
MQD 4 hrs_CRID...		Mail Quality...	N/A	DELIMITE...	Daily	Active	-		
MQD 4 hrs_CRID...		Mail Quality...	N/A	DELIMITE...	Daily	Active	-		
MQD 4 hrs_CRID...		Mail Quality...	N/A	DELIMITE...	Daily	Active	-		
PPC_CRID94825...		Package	N/A	DELIMITE...	4 Hour(s)	Active	-		
PPC_CRID94825...		Package	N/A	DELIMITE...	4 Hour(s)	Active	-		
Scan Data_4 Hours		Container	N/A	DELIMITE...	4 Hour(s)	Active	-		

Create a New Feed

Subscription Owner CRID
94825367 (IV COMMUNICATORS)

Feed Data Type
Select

File Format
Delimited File

Delimiter
Comma

Multi-value Delimiter
N/A

Define Target
Select Online download


To create a data feed, locate the **Create a New Feed** section.

1. In the **Subscription Owner CRID** section, select the CRID the data feed will “belong to”
 - Use the CRID whose IV-MTR BSA, BSA Delegates, and Subscription Managers will be responsible for maintaining the data feed in the future
 - The CRID selected will impacts what entities are available to select in the next screen




The screenshot shows a form titled "Create a New Feed". Under the heading "Subscription Owner CRID", there is a dropdown menu currently displaying "20783992 (XYZ COMPANY)". Below the dropdown, a list of options is shown: "20783992 (XYZ COMPANY)" with a green checkmark, and "21400102 (ABC COMPANY)".

2. In the **Feed Data Type** section, select **Mail Quality Data**.




The screenshot shows a dropdown menu titled "Feed Data Type". The selected option is "Mail Quality Data". Below the dropdown, a list of options is shown: "Scan Data", "Mail Quality Data" with a green checkmark, "Package Attributes", and "Payment Transactions".

- In the **File Format** section, select **Delimited File** or **JSON**.
 - If you select the delimited format, make a selection from the **Delimiter** drop-down menu.
 - Note:** It is recommended you do *not* choose Comma as a delimiter in MQD files since MQD itself contains commas.




The image shows two adjacent form sections. The left section, titled "File Format", has a dropdown menu currently set to "Delimited File". Below the dropdown, two options are listed: "Delimited File" (with a green checkmark) and "JSON". The right section, titled "Delimiter", has a dropdown menu currently set to "Tab". Below the dropdown, three options are listed: "Comma", "Tab" (with a green checkmark), and "Other - Please specify". A red arrow points from the "Delimited File" option in the left section to the "Tab" option in the right section.

- In the **Define Target** section, select where to send the files. Available options are:
 - Server** – IV-MTR will push the output files to an SFTP server you choose (see step 4.a)
 - Web Service** – IV-MTR will push the output files to a JSON web service (See step 4.a)
 - Online Download** – IV-MTR will display the output files within the IV-MTR application, where you can download them (see step 4.b)




The image shows a form section titled "Define Target". It features a dropdown menu with "Select" as the current selection, which is highlighted with a red border. To the right of the dropdown is a checkbox labeled "Online download". Below the dropdown and checkbox are two links: "Add a server" and "Go to address book". At the bottom of the section is a blue button labeled "TEST SERVER CONNECTION".

- a. Server download:** In the **Define Target** drop down, select the target server(s) or web service(s)
- The Define Target drop down is populated with servers/web services already listed in your IV-MTR Address Book. If you need to add a new server/web service to the list, click the **Add a server** link and follow the instructions in the [Adding a Server to the Address Book appendix](#).




The screenshot shows the 'Define Target' form. A red dashed box highlights the 'Select' dropdown menu, which is open and displays a list of server options: 'ABC SFTP Server', 'JSON Web Service', and 'ABC Server 1'. To the right of the dropdown is an unchecked checkbox labeled 'Online download'. Below the dropdown menu, there is a 'Check All' checkbox and a blue button labeled 'POST SERVER CONNECTION'.



The screenshot shows the 'Define Target' form with the dropdown menu closed. A red solid box highlights the 'Select' dropdown menu. To the right is an unchecked checkbox labeled 'Online download'. Below the dropdown menu, there is a yellow button labeled 'Add a server' and a blue link labeled 'Go to address book'.

- b. Online download:** Check the box for **Online download**.
- This automatically greys out the Define Target option, as a target server is not needed for this option.



The screenshot shows the 'Define Target' form with the 'Online download' checkbox checked. The 'Select' dropdown menu is greyed out. Below the dropdown menu, there is a blue button labeled 'Add a server' and a blue link labeled 'Go to address book'.

5. In the **File Transfer Format** section, select whether to receive unzipped or zipped files.

File Transfer Format

Un-zipped ▼

Un-zipped
 Zipped

The next sections allow you to choose how and when you would like to receive data:

- **Source Frequency** is for how you would like your data presented – rolled up by day, week, or month
- **Frequency** is for how often you want to receive the rolled up data – every minute, day, or month
- Some examples are provided in the table below.


Source Frequency	Frequency	Output
daily	1 day	Every day, a file is received with MQD summarized by day
daily	7 days	Once a week, a file is received with MQD summarized by day
weekly	30 days	Once a month, a file is received with MQD summarized by week

6. In the **Source Frequency** section, select how you would like your data rolled up - Daily, Weekly, or Monthly.




The screenshot shows a form section titled "Source Frequency". At the top, there is a dropdown menu currently displaying "Daily". Below this, a list of options is shown: "Daily" (with a green checkmark), "Weekly", and "Monthly".

7. The **Frequency** section allows you to choose how often you want to receive data from the feed. In the Frequency field, enter a value and select minutes, hours, or days from the drop down menu.
- By default, the frequency is set to every 4 hours. However, you can customize this from as often as every minute to as long as every 31 days.




The screenshot shows a form section titled "Frequency". It contains a text input field with the number "4" and a dropdown menu currently displaying "Minutes". Below this, there is a "Start Time / Time Z" section with a text input field containing "12:00" and a dropdown menu displaying "AM". To the right of this section, a list of options is shown: "Minutes" (with a green checkmark), "Hours", and "Days".

8. In the **Start Time / Time Zone** section, enter a time value, select AM or PM, and select a time zone. The data feed will be active once it is created and will send data according to the selected frequency and start time.

9. In the **Name This Feed** section, enter a name for the data feed. This is how your feed will display in the **Your Feeds** list.

Note: The program and error type—selected on the next screen—are automatically appended to the feed name.



Your Feeds EXPORT

Feed Name	Mail Obj Type
ABC Containers	Container
ABC Pieces	Piece
Mail Quality Data Feed Full Service By/For	BE

10. Click **Continue**.

The **Select Entity** screen appears. This area allows you to choose what CRIDs you will receive data for.

The **Select CRID(s)** section displays the CRIDs you have the *Manage Mailing Activity* service for in the BCG.

1. Add CRID(s) using one of the following methods:

- **To add all CRIDs:** click **+ADD ALL CRIDS**
- **To add an individual CRID listed in the window:** Click the CRID entry
- **To add an individual CRID from a long list:** Use the Search dialog to display the CRID, then click the desired CRID entry

The CRID(s) move(s) to the **Your selected CRIDs** section. Repeat this step as necessary until all desired CRIDs have been added.

1. SELECT ENTITY >
2. DEFINE FIELDS

Select CRID(s)

COMPANY NAME ▲	CRID
(Empty list)	

Your selected CRID(s)

COMPANY NAME ▲	CRID
ABC COMPANY	21400102 -REMOVE
XYZ COMPANY	20783992 -REMOVE

2. In the **Mailer Role** drop down, select the role(s) for which to get data.

1. SELECT ENTITY > 2. DEFINE FIELDS

Select CRID(s)

Search for a CRID from the list below

COMPANY NAME ▲	CRID
----------------	------

Your selected CRID(s)

COMPANY NAME ▲	CRID
ABC COMPANY	21400102 -REMOVE
XYZ COMPANY	20783992 -REMOVE

Mailer Role: 4 items selected ▼

- Uncheck All
- eDoc Submitter
- Mail Preparer
- Mail owner
- Transportation Carrier

PREVIOUS STEP

NEXT STEP

3. Click **Next Step**.

- The **Define Fields** area appears. This screen allows you to choose the data types and exact data fields you would like to receive.
- In the **Program** section, check the box(es) for the programs you would like to receive. Once a program is selected, its error types will appear to the right.

1. SELECT ENTITY >
2. DEFINE FIELDS

SELECTED CRID(s): 21400102, 20783992

SELECTED Mailer Role(s): eDoc Submitter, Mail Preparer, Mail Owner, Transportation Carrier

Program	Which Error Type would you like to see?
<input checked="" type="checkbox"/> Full-Service	<input type="checkbox"/> MID <input type="checkbox"/> STID <input type="checkbox"/> Barcode Uniqueness <input type="checkbox"/> By/For <input type="checkbox"/> Unlinked Copal <input type="checkbox"/> Entry Facility <input type="checkbox"/> Warning
<input type="checkbox"/> eInduction	<input type="checkbox"/> Undocumented <input type="checkbox"/> Payment <input type="checkbox"/> Entry Point Discount <input type="checkbox"/> Zone <input type="checkbox"/> Misshipped <input type="checkbox"/> Duplicate <input type="checkbox"/> Warning
<input type="checkbox"/> Seamless Acceptance	<input type="checkbox"/> Undocumented <input type="checkbox"/> Delivery Point <input type="checkbox"/> Nesting/Sortation <input type="checkbox"/> Postage <input type="checkbox"/> Weight <input type="checkbox"/> Mail Characteristic <input type="checkbox"/> Warning
<input type="checkbox"/> Move Update	<input type="checkbox"/> Move Update <input type="checkbox"/> Warning

IV Mail Tracking data retention is limited to 45 days

2. In the **Error Type** section, select the error type(s) you want to receive data for. As you make selections, **Data Fields** sections will appear below the Program section. These allow you to specify the data fields to receive for that program and error type.
 - **Note:** Each box you check will create a separate data feed. In the example below, three data feeds will be created – a Full-Service MID, a Seamless Acceptance Nesting/Sortation, and a Seamless Acceptance Weight feed.

1. SELECT ENTITY
2. DEFINE FIELDS

SELECTED CRID(s): 21400102, 20783992
SELECTED Mailer Role(s): eDoc Submitter, Mail Preparer, Mail Owner, Transportation Carrier

Program	Which Error Type would you like to see?
<input checked="" type="checkbox"/> Full-Service	<input checked="" type="checkbox"/> MID <input type="checkbox"/> STID <input type="checkbox"/> Barcode Uniqueness <input type="checkbox"/> By/For <input type="checkbox"/> Unlinked Copal <input type="checkbox"/> Entry Facility <input type="checkbox"/> Warning
<input type="checkbox"/> Induction	<input type="checkbox"/> Undocumented <input type="checkbox"/> Payment <input type="checkbox"/> Entry Point Discount <input type="checkbox"/> Zone <input type="checkbox"/> Misshipped <input type="checkbox"/> Duplicate <input type="checkbox"/> Warning
<input checked="" type="checkbox"/> Seamless Acceptance	<input type="checkbox"/> Undocumented <input type="checkbox"/> Delivery Point <input checked="" type="checkbox"/> Nesting/Sortation <input type="checkbox"/> Postage <input checked="" type="checkbox"/> Weight <input type="checkbox"/> Mail Characteristic <input type="checkbox"/> Warning
<input type="checkbox"/> Move Update	<input type="checkbox"/> Move Update <input type="checkbox"/> Warning


Data Fields: Full-Service -- MID

<ul style="list-style-type: none"> + Add All + Affected Piece Count + Assessable Ind + Barcode - eDoc + Barcode CRID + Barcode Mailer Name 	<div style="border: 1px solid #ccc; height: 100px; background-color: #f9f9f9;"> Drag fields here to add to report </div>
--	--


Data Fields: Seamless Acceptance -- Nesting/Sortation

- [+ Add All](#)


- In the **Data Fields** section, select the data fields to receive for each program/error type.
 - The fields on the left are available to be added, and the fields on the right are already included in your data feed.
 - Drag** or **double-click** fields to move them from one side to the other. To add all available data fields, click **+ Add All**.
 - For details about the data fields themselves, please see the [MQD Data Dictionary](#).




- Once you have selected the data fields to be included, arrange them in your preferred order by dragging and dropping them on the right side of the **Data Fields** section.



- Repeat the previous steps for each **Data Fields** section on the page.
- Once all the Data Fields sections have been set up, click **Create Feed**.



- A pop-up appears confirming creation of the feed(s).



- Close the window by clicking **OK** or the X icon.

- Data feed creation is now complete.** The new data feed(s) will appear in the Your Feeds table.
 - For instructions on reviewing the feed's output files, see the next slide.
 - For instructions on managing the data feed, including viewing and modifying its settings, see the [Managing Existing Data Feeds](#) section.

- Data feeds are activated upon creation and begin delivering data according to the selected start time and frequency.
- To retrieve files for a data feed, complete the following:
 - On the **Queries and Feeds** page, click **Create & Manage Data Feeds**.
 - On the **Create & Manage Data Feed** screen, locate the feed in the **Your Feeds** section.
 - Click the **Output History** icon for the feed.

Your Feeds 									
Search <input type="text"/>									
Feed Name 	Entity Name	Mail Object Type	Target	File Format	Frequency	Active	# of Failed Files	Output History	Details
ABC Containers		Container	N/A	DELIMIT...	4 Hour(s)	Active	-		 
ABC Pieces	Saved...	Piece	N/A	Legacy...	15 Minute(s)	Active	-		 
EPS Data Trans...		Payment	N/A	DELIMIT...	Daily	Active	-		 
Mail Quality Data...		Mail Qual...	ABC SFTP Server	DELIMIT...	Daily	Active	-		 
Mail Quality Data...		Mail Qual...	ABC SFTP Server	DELIMIT...	Daily	Active	-		 
Mail Quality Data...		Mail Qual...	ABC SFTP Server	DELIMIT...	Daily	Active	-		 
Mail YMI Trans		Handlin...	ABC Web Service	MAIL YMI	1 Day(s)	Active	-		 

1 - 11 of 12 items

- The **Output History** page for the feed will appear. The output files will appear, including:
 - Delivery information (including a status and link to resend if a server or web service is being used)
 - Download link, which allows you to manually download and view individual files
 - Print dialog, which prints the Output History (but not the files themselves)
 - Export As menu, which exports the Output History (but not actual files) CSV or PDF format

Output History ✕

Data feed files are saved for 7 days. PRINT EXPORT AS

Host	File Name	Total Scans	Most Recent Execution Attempt ▾	Delivery Success	Resend to Host	Download...
IV SFTP	fsb4p01456.p...	2837	Mon Apr 23 11:52:01 CDT 2018	Success	Resend	Download
IV SFTP	fsb4on3544.p...	2280	Mon Apr 23 10:50:13 CDT 2018	Success	Resend	Download
IV SFTP	fsb4om4540....	2421	Mon Apr 23 09:50:20 CDT 2018	Success	Resend	Download
IV SFTP	fsb4ol5752.pk...	2133	Mon Apr 23 08:51:26 CDT 2018	Success	Resend	Download
IV SFTP	fsb4ol1518.pk...	8814	Mon Apr 23 07:52:12 CDT 2018	Success	Resend	Download

⏪ ⏩ 1 / 33 5 items per page
1 - 6 of 162 items

[CLOSE](#)

Managing Existing Data Feeds

Reviewing, Modifying, Disabling, and Deleting

Use the table below to assist in managing existing data feeds.

If you want to...	See...
View the details and settings of a data feed,	<u>Reviewing a Data Feed</u>
Modify an existing data feed,	<u>Modifying a Data Feed</u>
Temporarily turn off a data feed without permanently deleting it,	<u>Disabling a Data Feed</u>
Permanently delete a data feed,	<u>Deleting a Data Feed</u>
Troubleshoot an issue or question about IV-MTR,	<u>Troubleshooting Resources</u>

To view the settings of a data feed, complete the following steps:

1. On the **Create & Modify Data Feeds** screen, locate the feed in the **Your Feeds** window.
2. Click the **Modify** icon for the feed in the **Details** column.
3. The feed's **Details** page will appear, listing all the settings for the feed.

Search						
Target	File Format	Frequ...	Active	# of Failed Files	Output History	Details
XYZ MailXML V	MAILXML...	4 Hour(s)	Inactive	-		
N/A	JSON_O...	1 Day(s)	Inactive	-		
XYZ SFTP Ser	DELIMIT...	4 Hour(s)	Active	-		
N/A	DELIMIT...	4 Hour(s)	Active	-		
XYZ MailXML V	MAILXML...	8 Hour(s)	Active	-		

Items per page 1 - 6 of 5 items

MQD 4 hrs_CRID 94825367 Full Service Barcode Uniqueness

Last Update Date/Time: 11/04/2019 01:46:37 PM CST

<p>Entities</p> <p>Selected CRID(s) CRID 94825367</p> <hr/> <p>Subscription Owner CRID</p> <p>94825367</p> <hr/> <p>File Format</p> <p>DELIMITED (delimiter: ,)</p> <hr/> <p>Target</p> <p>N/A</p> <hr/> <p>Data Fields</p> <p>Affected Piece Count Assessable Ind Barcode - eDoc Barcode CRID</p>	<p>Filters</p> <table border="0" style="width: 100%;"> <tr> <td>Program Full Service Error Type Barcode Uniqueness</td> <td>CRID Role(s) eDoc Submitter, Mail Preparer, Mail Owner, Transportation Carrier</td> </tr> </table> <hr/> <p>Source Frequency Daily</p> <hr/> <p>Frequency</p> <p>4 Hour(s)</p> <hr/> <p>Schedule Start Time</p> <p>12:00 AM (US/Central)</p> <hr/> <p>Email Notification</p> <p>No Email Notification</p> <hr/> <p>File Transfer Format</p> <p>Unzipped</p> <hr/> <p>Active Feed Indicator</p> <p>Active</p>	Program Full Service Error Type Barcode Uniqueness	CRID Role(s) eDoc Submitter, Mail Preparer, Mail Owner, Transportation Carrier
Program Full Service Error Type Barcode Uniqueness	CRID Role(s) eDoc Submitter, Mail Preparer, Mail Owner, Transportation Carrier		


To modify the settings of a data feed, complete the following steps:

1. On the **Create & Modify Data Feeds** screen, locate the feed in the **Your Feeds** window.
2. In the **Details** column, click the feed's **Modify** icon.

Your Feeds 						
Search						
...	File Format	Frequency	Active	# of Failed Files	Output History	Details
	DELIMITED (deli...	Daily	Active	-		 
	DELIMITED (deli...	Daily	Active	-		 
	DELIMITED (deli...	Monthly	Active	-		 
	DELIMITED (deli...	4 Hour(s)	Active	-		 

3. The feed's **Details** window opens. Make changes as needed.
4. Once your changes are complete, scroll to the bottom of the window and click **Update Feed**.

IMPORTANT: To save changes, you must click **Update Feed**.



Details for MQD 4 hrs_CRID 94825367 Full Service MID [Rename](#) Scroll to bottom of page to commit changes ✕

Last Update Date/Time: 11/05/2019 08:48:13 AM CST

Entities

Select CRID(s)
Search for a CRID from the list below

COMPANY NAME ▲	CRID
IV Communicators	94825367 -REMOVE

Mailer Role:
4 items selected ▼

Program Type
Full Service
Error Type
MID

Subscription Owner CRID
94825367

Feed Configuration

File Format
Delimited File ▼

Define Target
Select ▼ Online download

Source Frequency
Daily ▼

Delimiter
Comma ▼

Frequency
4 Hours ▼

File Transfer Format
Un-zipped ▼

Start Time / Time Zone
12:00 AM Central (UTC-6)

Data Fields

+ Add All

- Affected Piece Count
- Assessable Ind
- Barcode - eDoc
- Container ID - eDoc
- Destination ZIP - eDoc

- Remove All

- Barcode CRID
- Barcode Mailer Name
- Barcode MID
- Container Destination ZIP
- Error Code

Activate/Deactivate the feed?
 Active Feed Indicator

[DELETE FEED](#) [UPDATE FEED](#)

5. A **Review Updates** screen will appear, listing the changes made and asking you to confirm they are correct.
 - To accept the changes, click **Confirm**.
 - To make changes, click **Back**.
 - To cancel the update altogether, click **Cancel**.



Review Updates for MQD 4 hrs_CRID 94825367 Full Service MID ✕


By clicking Confirm, you will be applying the following updates.

Feed Configuration

Old Value	New Value
Schedule Start Time: 12:00 AM (US/Central)	Schedule Start Time: 11:30 AM (US/Central)

BACK **CANCEL** **CONFIRM**

6. If you clicked Confirm, a success screen will appear, confirming the changes have been made. Click **OK**.



Success ✕

Your request has been submitted successfully.

OK


If you wish to temporarily turn off a data feed but do not want to permanently delete the data feed, you can disable the data feed as follows:

1. On the **Create & Modify Data Feeds** screen, locate the feed in the **Your Feeds** window.
2. Click the **Modify** icon for the feed in the **Details** column.

Your Feeds 						
Search						
...	File Format	Frequency	Active	# of Failed Files	Output History	Details
	DELIMITED (deli...	Daily	Active	-		 
	DELIMITED (deli...	Daily	Active	-		 
	DELIMITED (deli...	Monthly	Active	-		 
	DELIMITED (deli...	4 Hour(s)	Active	-		 

3. The feed's **Details** window appears. Scroll to the **Active/Deactivate the feed** section at the bottom of the page and **uncheck** the **Active Feed Indicator** box.
4. Click **Update Feed**.

IMPORTANT: To save changes, you must click **Update Feed**.



The screenshot shows the 'Details' window for a data feed. It includes sections for 'File Format' (Delimited File, Comma), 'Define Target' (Select, Online download, Un-zipped), 'Source Frequency' (Daily), 'Frequency' (4 Hours), and 'Start Time / Time Zone' (12:00 AM, Central (UTC-6)). A 'TEST SERVER CONNECTION' button is present. The 'Data Fields' section lists various fields like 'Affected Piece Count', 'Assessable Ind', 'Barcode - eDoc', 'Container ID - eDoc', 'Destination ZIP - eDoc', 'Barcode CRID', 'Barcode Mailer Name', 'Barcode MID', 'Container Destination ZIP', and 'Error Code'. At the bottom, the 'Activate/Deactivate the feed?' section has a checked 'Active Feed Indicator' box, which is highlighted by a red arrow. Another red arrow points to the 'UPDATE FEED' button.

5. The **Create & Manage Data Feeds** screen will appear. The feed will still be listed in the **Your Feeds** section, but will not retrieve new data until you re-activate it.

Use the delete functionality when you want to permanently delete a data feed.

IMPORTANT: Data Feed deletion cannot be undone.

To delete a data feed, complete the following:

1. On the **Create & Manage Data Feeds** screen, locate the feed in the **Your Feeds** window.
2. In the **Details** column, click the feed's **Modify** icon.

Your Feeds 						
Search						
...	File Format	Frequency	Active	# of Failed Files	Output History	Details
	DELIMITED (deli...	Daily	Active	-		 
	DELIMITED (deli...	Daily	Active	-		 
	DELIMITED (deli...	Monthly	Active	-		 
	DELIMITED (deli...	4 Hour(s)	Active	-		 

- The feed's **Details** window opens. Scroll to the bottom of the screen and click **Delete Feed**.

Details for MQD 4 hrs_CRID 94825367 Full Service MID [Rename](#) *Scroll to bottom of page to commit changes* ✕

Last Update Date/Time: 11/05/2019 08:48:13 AM CST

Entities

Select CRID(s)

COMPANY NAME ▲	CRID
IV Communicators	94825367 -REMOVE

Mailer Role:
4 items selected ▼

Program Type
Full Service
Error Type
MID

Subscription Owner CRID
94825367

Feed Configuration

File Format
Delimited File ▼

Delimitter
Comma ▼

Define Target
Select ▼ Online download

Add a server Go to address book

File Transfer Format
Un-zipped ▼

Source Frequency
Daily ▼

Frequency
4 Hours ▼

Start Time / Time Zone
12:00 AM Central (UTC-6)

TEST SERVER CONNECTION


Data Fields

+	Add All	-	Remove All
<input checked="" type="checkbox"/>	Affected Piece Count	<input checked="" type="checkbox"/>	Barcode CRID
<input checked="" type="checkbox"/>	Assessable Ind	<input checked="" type="checkbox"/>	Barcode Mailer Name
<input checked="" type="checkbox"/>	Barcode - eDoc	<input checked="" type="checkbox"/>	Barcode MID
<input checked="" type="checkbox"/>	Container ID - eDoc	<input checked="" type="checkbox"/>	Container Destination ZIP
<input checked="" type="checkbox"/>	Destination ZIP - eDoc	<input checked="" type="checkbox"/>	Error Code

Activate/Deactivate the feed?
 Active Feed Indicator

DELETE FEED **UPDATE FEED**

4. A **Confirm** popup will appear to confirm you want to delete the feed. Click **Yes**.





5. The **Create & Manage Data Feeds** screen will appear. The feed will no longer be listed in the **Your Feeds** section.

Troubleshooting Resources


Where to Find Help When You Need It

IV-MTR help is available in three places:


1. **IV-MTR Application** – the Help section of the IV-MTR website hosts the library of BlueTube® videos and provides links to select references on PostalPro
2. **PostalPro™ IV-MTR page** – a knowledge base with all IV-MTR documentation and resources
3. **IV Solutions Center® (IVSC)** – a dedicated group of Help Desk professionals who can assist with any questions



Access the IV-MTR Help Page from within the IV-MTR application by clicking the Question Mark bubble in the Widget Sidebar.



The IV-MTR Help page hosts:



PostalPro Document links that give you direct access to select PostalPro resources

BlueTube tutorial videos that provide a library of step-by-step instructional videos that walk you through using IV-MTR

PostalPro provides a wealth of information about IV-MTR.

- The [MQD through IV-MTR](#) page provides MQD-specific resources, including:
 - [MQD Data Dictionary](#) (detailed information about the actual data received)
 - [MQD Error Codes](#) (listing of error codes)
 - [FAQs](#)
- The [IV-MTR PostalPro](#) page provides general information about IV-MTR, including:
 - [IV-MTR User Guide](#) (the most in-depth information about IV-MTR)
 - [Applying for Access](#) (instructions for setting up a new IV-MTR account)
 - [IV-MTR Orientation Training](#) (introduction to application layout and navigation)
 - [Release Notes](#) (information about the most recent updates)
 - [MQD Data Delegation form](#) (needed when coordinating data delegation with the IV Solutions Center)
 - [MTAC User Group 4 materials](#) (information about the open forum for USPS representatives and industry leaders to discuss mail visibility)

■ The IV Solutions Center is available to help answer any questions you have about IV-MTR.

InformedVisibility@usps.gov

1-800-238-3150, Option #2

7 AM to 5 PM CT, Monday through Friday

(closed USPS holidays)



Appendix A

Change History

Date	Version	Description
6/17/2025	7.6	<ul style="list-style-type: none"> Updated IV-MTR Landing Page image with Reference Data section/links
11/13/2020	7.5	<ul style="list-style-type: none"> Expanded Data Delegation appendix Updated PostalPro URL & added IDPC mention
4/25/2020	7.4	<ul style="list-style-type: none"> Updated Data Delegated to My CRIDs slides with new Data Type drop down Added Orientation Training to PostalPro slide. Added note about using a non-comma delimiter Removed MID reference in Select Entities discussion
11/9/2019	7.3	<ul style="list-style-type: none"> Updated shots to remove Email Notification options. Reorganized content to enhance usability. Added introductory information and expanded resources section. Updated for clarity throughout.
8/14/2019	7.2	<ul style="list-style-type: none"> Updated shots on slides 14-16 to remove Full Service Nesting/Sortation option Updated shots on slides 18 & 19 to show Last Updated date/timestamp
5/11/2019	7.1	<ul style="list-style-type: none"> Updated to show users now have the ability to create a single Mail Quality Data feed for multiple CRIDs and add multiple CRIDs to an existing data feed.
3/29/2019	7.0	<ul style="list-style-type: none"> Changed "IV" to "IV-MTR" and "IV Help Desk" to "IV Solutions Center" throughout. Refreshed screenshots throughout. Added hyperlinks to the Contents slide. Updated instructions for getting access to IV-MTR to reflect that contacting the IV Solutions Center is no longer necessary to obtain the authorization code. Added Manage Data Delegation slides. Added items to the Resources slide.
12/2/2018	6.0	<ul style="list-style-type: none"> Initial published version

Acronym / Abbreviation	Description
BCG	Business Customer Gateway
BSA	Business Service Administrator
CRID	Customer Registration ID
EPS	Enterprise Payment System
IDPC	Informed Delivery® Post-Campaign
IV®-MTR	Informed Visibility® Mail Tracking & Reporting
JSON	JavaScript Object Notification
LF	Line Feed
MQD	Mail Quality Data
PPC	Package Platform Concept
SFTP	Secure File Transfer Protocol

Appendix B

MQD File Characteristics & Conventions

	Delimited	JSON
File Extension	TXT	JSON
Program Types Available	Full Service Seamless Acceptance Move Update eInduction	Full Service Seamless Acceptance Move Update eInduction
Delivery Method	Sent to SFTP server Online Download	Sent to SFTP server or web service Online Download
Option to zip?	Yes	Yes
File Naming Convention	YYYYMMDDhhmmss_MQD_<Program Type>_<Error Type>_<Source Frequency>_<4 random alphanumeric chars for Message Group>_<4 digits for Message #>.txt	YYYYMMDDhhmmss_MQD_<Program Type>_<Error Type>_<Source Frequency>_<4 random alphanumeric chars for Message Group>_<4 digits for Message #>.json
Example File Name	20191207112728_MQD_FS_BQ_M_2XY4_0001.txt	20190616150100_MQD_SA_BQ_D_141U_0001.json
Headers?	Yes	n/a
End of Line	Line feed (LF) “\n”	n/a
Delimiter	As selected by user Note: Pipe delimiter recommended because commas are included in error data.	n/a
Handling of Large Number of Records	Multiple files created if more than 100,000 records	The current target is 250 scans per file for message in the message group.
Success/Failure Email Available?	Yes	No
Behavior if No Records	Blank file appears in Output History but not sent; email sent if “On Transfer Success” selected	No file will be sent, though there are enhancements in the future to send blank files.

Program Type	Short
Full Service	FS
Move Update	MU
Seamless Acceptance	SE
eInduction	EI

Source Frequency	Short
Daily	D
Weekly	W
Monthly	M

Error Type	Short
Barcode Uniqueness	BQ
By/For	BF
Delivery Point	DP
Duplicate	D
Entry Facility	EF
Entry Point Discount	EPD
Mail Characteristic	MC
MID	MID
Misshipped	M
Move Update	MU
Nesting/Sortation	NS
Payment	PYMT
Postage	P
STID	STID
Undocumented	U
Unlinked Copal	UC
Warning	W
Weight	WT
Zone	Z

File Name Examples

- | Read two files Full Service – Barcode Uniqueness – Daily:
 - 20171019045510_MQD_FS_BQ_D_OF2D_0001.json
 - 20171019045510_MQD_FS_BQ_D_OF2D_0002.json

- | Read one file for Seamless Acceptance – Nesting Sortation – Weekly:
 - 20171020223045_MQD_SA_NS_W_OF2D_0001.txt

Appendix C

Adding a Server to the Address Book


To send data to a server or web service, it must be added to the IV-MTR address book. You can add a server or web service before or while creating a data feed.

For instructions on adding a server...	See...
While you are creating a data feed,	Adding a Server during Feed Setup
Before you begin creating a data feed,	Adding a Server before Feed Setup

If you would like more information about the IV-MTR Address Book, please see the [IV-MTR User Guide](#).

To add a server or web service *while creating* a data feed, under the **Define Target** drop-down, click **Add a Server**. A window opens for you to enter the server details.


Select the **Protocol Type** and complete the remaining fields. When you are finished, click **Add to Address Book**. The new server or web service is added to your address book and is now available from the **Define Target** menu. [Continue with the data feed setup instructions.](#)



The screenshot shows a software interface with a 'Define Target' dropdown menu. The 'Add a server' link is highlighted with a red box, and a red arrow points from it to the 'Server Details' dialog box. The dialog box contains the following fields and buttons:

- Protocol Type***: SFTP (dropdown)
- CRIDs***: 2 items selected (dropdown)
- Use USPS Provided Server
- Host Description***: (text input)
- Host Address***: (text input)
- Port**: 22 (text input)
- Host Target Directory**: (text input)
- Host User Name***: (text input)
- Host Password***: (text input)
- Primary Contact***: (dropdown menu with 'Add a contact' and 'Go to address book' links below it)
- Buttons**: ADD TO ADDRESS BOOK, CANCEL, TEST SERVER CONNECTION

To add a server or web service *before* creating a data feed, go to **Address Book > Servers**. On the left side of the screen, select the **Protocol Type** and complete the remaining fields. When you are finished, click **Add to Address Book**. The new server or web service is added to your address book and is now available from the **Define Target** menu when you create a data feed.



The screenshot shows the USPS Address Book interface. The top navigation bar includes 'QUERIES & FEEDS', 'DATA DELEGATION', 'ADDRESS BOOK', and 'ROLES & PERMISSIONS'. The 'ADDRESS BOOK' section is active, with 'Servers' selected over 'Contacts'.

The 'Add New Server' form on the left includes the following fields:

- Protocol Type***: HTTPS JSON (dropdown)
- CRIDs***: 2 items selected (dropdown)
- Web Service Description***: (text input)
- Web Service URL***: https:// (text input)
- User ID**: (text input)
- Password**: (text input)

Buttons at the bottom of the form include 'TEST SERVER CONNECTION', 'ADD TO ADDRESS BOOK', and 'CANCEL'.

The 'Servers' table on the right lists existing servers:

HOST DESCRIPTION	HOST ADDRESS	PORT	PRIMARY CONTACT	PROTOCOL TYPE	ACTION
Testing	Testing	22	Elizabeth Bennett	SFTP	[Edit] [Delete]
Server 2	22.222.222.22	22	Fitzwilliam Darcy	SFTP	[Edit] [Delete]
XYZ SFTP Server	12.34.567.89	22	Elizabeth Bennett	SFTP	[Edit] [Delete]
XYZ JSON Web Service	https://xyz.com/jsonapi	0		HTTP_JSON	[Edit] [Delete]
XYZ MailXML Web Service	https://xyz.com/entregapi/api	0		HTTP	[Edit] [Delete]
USPS-Provided Server ⚠	USPS Provided Server	0	George Wickham	sftpserver	[Edit] [Delete]


At the bottom of the table, there is a pagination control showing '1 / 1' items per page and '1 - 7 of 6 items'.

Appendix D


Data Delegation Overview

Data Delegation is a feature of IV-MTR that allows you to share and receive data with other CRIDs/MIDs and organizations.


- In IV-MTR, each CRID has visibility of its own data.



- If you'd like to share data with another CRID, you can do so by creating a *data delegation*.



- The data delegation allows the receiving CRID to create data feeds with your data.



■ There are two roles in data delegation:

1. **Delegator:** The CRID that shares its data with another CRID or MID.
2. **Receiver:** The CRID that receives data from another CRID.

■ Data Delegation can be initiated by either a delegator or a receiver.

- Instructions for both methods are provided in this section.

■ Data can be shared either between CRIDs owned by the same organization (as a means of centralizing data), or between organizations (such as a Mail Owner and a Mail Service Provider).

■ If you have any questions about whether data delegation is right for you, please contact the [IV Solutions Center](#).

■ Data Delegation in IV-MTR hinges on the following:

- 1. Level of Delegation** – MQD is delegated at the CRID-level.
 - This provides visibility of all MIDs – current **and future** – for a particular CRID.
- 2. Data Type Shared** – New data delegations must be created for each data type.
 - This ensures the CRID owner can control what data recipients are allowed to receive.
 - Having a delegation in place for one data type does not affect visibility of any other data types. There is no option for a blanket delegation of all data types.

■ Data Delegation in IV-MTR hinges on the following:

- 3. Discretion of Delegator** – Delegating CRIDs have final say on what visibility is shared.
 - Receivers can request the data and dates they prefer, but the delegator can modify any delegation at any time.
 - Receivers can be notified about modifications made to data delegated to them. See the [IV-MTR User Guide](#), section 12.4: Managing Notification Preferences.
 - If a new data type becomes available, the receiving party will need to submit a new data delegation form to receive that data type.

- 4. Manual Updating of Feeds/Reports with Delegated Data** – Delegated data is not automatically added to existing data feeds or saved reports.
 - After the receiver is granted visibility, they must update any existing data feeds or reports or create new feeds/saved reports manually.
 - Data feeds will only begin delivering data from the time the delegation was approved by the delegators forward (regardless of what dates the receiver requested visibility of).

- The IV-MTR application provides **a self-service data delegation area** that allows organizations with IV-MTR accounts to **share data without having to contact the Postal Service**.
 - Instructions for doing this are provided in this section.
 - Only BSAs, BSA Delegates, or Data Delegation Managers can set up delegations.

- **However**, if one or both of the organizations **do not have access** to IV-MTR or **do not wish to set the delegation up** themselves, the **IV Solutions Center** can help facilitate the delegation.
 - Please contact the [IV Solutions Center](#) for more information.

- This appendix provides the essential instructions for setting up MQD-specific delegations.
 - If you need more detailed information about Data Delegations at any time, see the [IV-MTR User Guide](#).

There are four tabs within the **Data Delegation** area of IV-MTR:



1. **Request Data Delegation:** Allows you to **request visibility from another CRID**, view the history of your requests, and cancel pending requests.
 - Some functionality on this tab is restricted by user level.
2. **Manage Data Delegation:** Allows you to **view the requests** you have received from other CRIDs for visibility of your data **and approve or deny them**. Also allows you to **view the full history of data delegations** for your CRID's data, including those created by your CRID's users, and **modify or delete** them as necessary.
 - This tab is restricted by user level (general users cannot view).
3. **Delegate Data to Others:** Allows you to **delegate visibility** of your data to **another CRID**.
 - This tab is restricted by user level (general users cannot view).
4. **Data Delegated to My CRID:** Allows you to **see the data currently delegated to your CRID** and **delete** any unwanted delegations.
 - Some functionality on this tab is restricted by user level.

| To delegate or request MQD, you will need the following:

- A BSA, BSA Delegate, or Data Delegation Manager user role
- Delegating CRID(s)
- Receiving CRID(s)
- Dates data will be shared
- IV-MTR service for your CRID

Use the table below to proceed.

If you want to...	Proceed to...
Request data from another CRID,	Requesting Data Delegation
View data currently delegated to you,	Viewing Data Delegated to You
Delete data currently delegated to you,	Deleting Data Delegated to You
Delegate data to another CRID,	Delegating Data to Others
Review delegation requests you've received,	Reviewing Data Delegation Requests
Modify or delete data you are currently delegating,	Modifying Existing Delegations


Requesting Data Delegation

(BSA, BSA Delegate, and Data Delegation Managers Only)


■ This section is restricted to **BSAs, BSA Delegates, and Data Delegation Managers.**

■ Follow these steps to request data delegation:


1. Log into IV-MTR and click the **Data Delegation** tab.
2. The Data Delegation area will appear, set to the **Request Data Delegation** tab.



3. In the **Delegation Data Type** dropdown, select **Mail Quality Data**.



- Use the **Search CRIDs** pane to locate and add the CRIDs you would like visibility for. For best results, use the full CRID.
 - Selected CRIDs will move from the Search CRID(s) pane to the Your selection(s) pane.




Search CRID(s)

94826032

COMPANY NAME ▲	CRID
LET'S LEARN IV-MTR	94826032

Clear

- When you have finished adding CRIDs, click **NEXT STEP**.



1. SELECT ENTITY(s) > **2. DEFINE FILTERS & FIELDS** > **3. SELECT RECIPIENT(s)**

Delegation Data Type: Mail Quality Data

Search CRID(s)

94826032

COMPANY NAME ▲	CRID
----------------	------

Your selection(s)

COMPANY NAME ▲	CRID
LET'S LEARN IV-MTR	94826032

6. The Define Filters & Fields screen will appear. In the **Choose Delegation Effective Date Range** section, select the dates you would like visibility for.
- You cannot select dates in the past.
 - Data feeds will only begin delivering data from the time the delegation was approved by the delegators forward (regardless of what dates the you request visibility for).

SELECTED CRID(s): 94826032
SELECTED Mailer Roles: Mail Owner, Mail Preparer, eDoc Submitter, Transportation Carrier

Choose Delegation Effective Date Range

FROM  TO 

7. When you have chosen your dates, click **NEXT STEP**.

1. SELECT ENTITY(S) > 2. **DEFINE FILTERS & FIELDS** > 3. SELECT RECIPIENT(S)

SELECTED CRID(s): 94826032
SELECTED Mailer Roles: Mail Owner, Mail Preparer, eDoc Submitter, Transportation Carrier

Choose Delegation Effective Date Range

FROM  TO 

8. The Select Recipient(s) screen will appear. Use the **Select CRID(s)** pane to select the CRIDs that will receive the data. Selected CRIDs will move from the Select CRID(s) pane to the Your selection(s) pane.

1. SELECT ENTITY(s) > 2. DEFINE FILTERS & FIELDS > 3. SELECT RECIPIENT(s)

Select CRID(s)

Search for a CRID from the list below

COMPANY NAME ▲	CRID
IV DELEGATORS	94825368

+ ADD ALL CRIDs

Your selection(s)

COMPANY NAME ▲	CRID/MID
----------------	----------

9. When you have finished selecting your CRIDs, click **SUBMIT**.

1. SELECT ENTITY(s) > 2. DEFINE FILTERS & FIELDS > 3. SELECT RECIPIENT(s)

Select CRID(s)

Search for a CRID from the list below

COMPANY NAME ▲	CRID
----------------	------


Your selection(s)

COMPANY NAME ▲	CRID/MID
IV DELEGATORS	94825368

PREVIOUS STEP

SUBMIT


10. A confirmation screen will appear. Review the details of your request.
- **If you need to make changes**, click the **EDIT** link next to the section that needs updates.



Entities [EDIT](#)

Selected CRID(s)
94826032

- **If your request is ready to submit**, click **CONFIRM**.




Please Confirm ×

Last Update Date/Time:

Entities EDIT	Filters EDIT
Selected CRID(s) 94826032	Data Type Mail Quality Data
	Recipients EDIT
	Selected CRID(s) 94825368
	Delegation Effective Date Range EDIT
	From 07/30/2020 to No End Date

CONFIRM

11. A popup will appear, confirming your request has been submitted. Users of both the receiving and delegating CRIDs will be notified of the request according to their notification settings.



12. Your data delegation request is now complete and with the delegators for review.
 - **If you would like to review the status of your request**, see the next slide.
 - **If your request is approved and you would like to begin using the data:**
 - Add the delegated CRIDs to your existing MQD data feeds using the instructions [here](#).
 - Create a new MQD data feed using the instructions [here](#).

The Request History table lists all the delegation requests submitted by your CRID(s)/MID(s) and their statuses.

In this table, you can:

- **Determine a request's status** by locating its entry in the STATUS column
 - Note: If your delegation is marked as Pending for an extended period of time, contact the delegator or reach out to the [IV Solutions Center](#) for assistance.
- **Review the details** of a request by clicking its Details  icon.
- **Cancel a request** by clicking its Delete  icon.
 - **Note: Delegation requests cannot be modified** after they have been submitted. If you need to change something in a request, you must cancel the request and create a new one.

Request History											Search for CRID or MID
RECEIVING CRID ▲	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	STATUS	DETAILS
94825367	IV Commu...	ALL	Payment	IV_Commun...	94825368	IV DELEGAT...	ALL	07/28/2020	07/28/202...	Request Pending	 
94825367	IV Commu...	ALL	Payment	IV_Commun...	94825368	IV DELEGAT...	ALL	07/28/2020	07/28/202...	Request Pending	 
94825367	IV Commu...	ALL	Payment	IV_Commun...	94825368	IV DELEGAT...	ALL	02/18/2020	02/18/202...	Request Cancel...	
94825367	IV Commu...	ALL	Container	IV_Commun...	94825368	IV DELEGAT...	ALL	06/22/2020	06/22/202...	Request Rejected	
94825367	IV Commu...	ALL	Bundle	IV_Commun...	94825368	IV DELEGAT...	ALL	06/22/2020	06/22/202...	Request Rejected	
94825367	IV Commu...	ALL	Handlin...	IV_Comms_...	94825368	IV DELEGAT...	ALL	02/18/2020	02/18/202...	Request Rejected	
94825367	IV Commu...	ALL	Mail Qu...	IV_Comms_...	94825368	IV DELEGAT...	ALL	12/05/2019	12/05/201...	Request Appro...	 

1 3 10 items per page 1 of 23 items

Viewing Data Delegated to You

- | Follow these steps to view the data other CRIDs are sharing with you:
 1. Log into IV-MTR and click the **Data Delegation** tab.
 2. In the Data Delegation area, click **Data Delegated to My CRID**.
 3. The Data Delegated to My CRID screen appears, with a table listing all active delegations.
- | The **Data Type** drop down allows you to filter delegations records by data type.
 - **Note: If you have over 50,000 records**, you will be required to choose a data type from the menu before records will display.
- | The Export  icon allows you to download a list of all delegations.
- | The Details  icon allows you to view the details of each delegation.

Request Data Delegation		Manage Data Delegation		Delegate Data to Others		Data Delegated to My CRID	
Data Type	All						
Data Delegated to My CRID 							Search for CRID or MID
MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	DETAILS
Piece	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Container	IV_Communications	94825368	IV DELEGATORS	ALL	06/18/2020	06/18/2020 to No End Date	 
							1 - 10 of 16 items

Deleting Data Delegated to You

(BSA, BSA Delegate, and Data Delegation Managers Only)


- This section is restricted to **BSAs, BSA Delegates, and Data Delegation Managers**.
- If you no longer wish to receive a delegation from another CRID, you can delete it.
 - All deletions are final. If a delegation is deleted by accident, a new delegation must be created.
- To delete an existing delegation, complete the following:
 1. Access the **Data Delegated to My CRID** page and locate the delegation in the table.

Request Data Delegation		Manage Data Delegation		Delegate Data to Others		Data Delegated to My CRID	
Data Type	All						
Data Delegated to My CRID  Search for CRID or MID							
MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	DETAILS
Piece	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Package	IV_Comms_Delega...	94825368	IV DELEGATORS	ALL	02/18/2020	02/18/2020 to No End Date	 
Container	IV_Communications	94825368	IV DELEGATORS	ALL	06/18/2020	06/18/2020 to No End Date	 
 1 / 2 10 items per page							1 - 10 of 16 items

2. Click the Delete  icon for the delegation's entry. A confirmation pop-up will appear. Click **DELETE**.



3. A success message will appear, confirming that the delegation was deleted. Click **OK**. Once a deletion is made, the change will be reflected within about 15 minutes.




Delegating Data to Others

(BSA, BSA Delegate, and Data Delegation Managers Only)

■ This section is restricted to **BSAs, BSA Delegates, and Data Delegation Managers**.


■ To begin, access the Delegate Data to Others area of the application:

1. Log into IV-MTR and click the **Data Delegation** tab.
2. In the Data Delegation area, click **Delegate Data to Others**.



■ Follow these steps to delegate data:

1. In the **Delegation Data Type** dropdown, select **Mail Quality Data**.



- Use the Select CRID(s) pane to select the CRIDs that will receive the data. Selected CRIDs will move from the Select CRID(s) pane to the Your selection(s) pane.

1. SELECT ENTITY(s) > **2. DEFINE FILTERS & FIELDS** > **3. SELECT RECIPIENT(s)**

Delegation Data Type: Mail Quality Data

Select CRID(s)


Search for a CRID from the list below

COMPANY NAME ▲	CRID
IV DELEGATORS	94825368

+ ADD ALL CRIDs

Your selection(s)

COMPANY NAME ▲	CRID
----------------	------



- When you have finished selecting your CRIDs, click **NEXT STEP**.

1. SELECT ENTITY(s) > **2. DEFINE FILTERS & FIELDS** > **3. SELECT RECIPIENT(s)**

Delegation Data Type: Mail Quality Data

Select CRID(s)


Search for a CRID from the list below

COMPANY NAME ▲	CRID
----------------	------

Your selection(s)

COMPANY NAME ▲	CRID
IV DELEGATORS	94825368

NEXT STEP



4. The Define Filters & Fields screen will appear. In the **Choose Delegation Effective Date Range** section, select the dates you would like visibility for.
- You cannot select dates in the past.
 - Data feeds will only begin delivering data from the time the delegation was approved by the delegators forward (regardless of what dates the you request visibility for).

SELECTED CRID(s): 94825368
SELECTED Mailer Roles: Mail Owner, Mail Preparer, eDoc Submitter, Transportation Carrier

Choose Delegation Effective Date Range

FROM  TO 

6. **Optional:** Enter any notes you would like to include with the delegation in the text box.

If necessary, please provide any additional explanation for delegating data below.

7. When you have finished, click **NEXT STEP**.

If necessary, please provide any additional explanation for delegating data below.

[PREVIOUS STEP](#)[NEXT STEP](#)

8. Use the **Search CRIDs** pane to locate and add the CRIDs you would like to provide visibility to. For best results, use the full CRID.
 - Selected CRIDs will move from the Search CRID(s) pane to the Your selection(s) pane.

Search CRID(s)

 Q

COMPANY NAME ▲	CRID
LET'S LEARN IV-MTR	94826032 Clear

9. When you have finished adding CRIDs, click **SUBMIT**.

1. SELECT ENTITY(s) >
2. DEFINE FILTERS & FIELDS >
3. SELECT RECIPIENT(s)

Search CRID(s)

 Q

COMPANY NAME ▲	CRID

Your selection(s)

COMPANY NAME ▲	CRID/MID
LET'S LEARN IV-MTR	94826032

PREVIOUS STEP
SUBMIT

10. A confirmation screen will appear. Review the details of your delegation.
- **If you need to make changes**, click the **EDIT** link next to the section that needs updates.

Entities EDIT
Selected CRID(s)
94825368

- **If your delegation is ready to submit**, click **CONFIRM**.


Please Confirm

Last Update Date/Time:

Entities EDIT	Filters EDIT
Selected CRID(s)	Data Type
94825368	Mail Quality Data
	Recipients EDIT
	Selected CRID(s)
	94826032
	Delegation Effective Date Range EDIT
	From 07/30/2020 to No End Date

[CONFIRM](#)

11. A popup will appear, confirming your delegation has been submitted. Users of both the receiving and delegating CRIDs will be notified of the delegation according to their notification settings.



12. Your data delegation is now complete. The delegation will appear in the Data Delegation Authorization History table on the Manage Data Delegation tab.

Reviewing Data Delegation Requests

(BSA, BSA Delegate, and Data Delegation Managers Only)

- **This section is restricted to BSAs, BSA Delegates, and Data Delegation Managers.**

- When another CRID sends a data delegation request to your CRID, a BSA, BSA Delegate, or Data Delegation Manager must review the request and approve or deny it. Instructions are provided in this section.

- To begin, access the Manage Data Delegation area of the application:
 1. Log into IV-MTR and click the **Data Delegation** tab.
 2. In the Data Delegation area, click **Manage Data Delegation**.
 3. The Manage Data Delegation screen appears, with the number of pending requests listed in the tab and the requests themselves in the Data Delegation Requests Pending Approval table.
 - Requests are grouped by the CRID that is requesting the delegation.

Request Data Delegation		Manage Data Delegation 6		Delegate Data to Others		Data Delegated to My CRID					
Data Delegation Requests Pending Approval											
Search for CRID or MID											
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
+	94826032 (3 requ...)										✓ ✗
+	94825559 (1 requ...)										✓ ✗
+	94825367 (2 requ...)										✓ ✗

To review the data delegation requests your CRID has received, follow these steps:

- To see the lists of requests:** Click the expand  icon next to a CRID to see its requests.

Data Delegation Requests Pending Approval											Search for CRID or MID
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
	94825367 (2 requ...										 

- To view details of a request and modify it (if desired):** Scroll to the **Action** column and click the green checkmark  for the request. The request's Details screen will appear, allowing you to review the request and make any modifications you like.

Data Delegation Requests Pending Approval											Search for CRID or MID
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
	94825367 (2 requ...										 
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	 
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	 

- Proceed as follows:
 - [Approving requests](#)
 - [Denying requests](#)

To approve requests:

- **Individually:** Click on the green checkmark for the request and select **APPROVE**. A success message will appear.

Data Delegation Requests Pending Approval											Search for CRID or MID
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
☰	94825367 (2 requ...										✓ ✗
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✗
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✗

- **In bulk:** Click the green checkmark on the CRID line and select **APPROVE**.

Data Delegation Requests Pending Approval											Search for CRID or MID
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
☰	94825367 (2 requ...										✓ ✗
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✗
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✗

- The requests will appear in the Data Delegation Authorization History table at the bottom of the page. The users of the delegating and receiving CRIDs will be notified according to their notification settings.

- NOTE: All denials are final and cannot be undone.** If a delegation is denied by accident, a new one must be created.

To deny requests:

- Individually:** Click on the red X for the request, select a reason for the denial, and click **SUBMIT**. A success message will appear.

Data Delegation Requests Pending Approval											Search for CRID or MID
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
	94825367 (2 requ...										✓ ✕
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✕
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✕

- In bulk:** Click the red X on the CRID line, select a reason for the denial, and click **SUBMIT**. A success message will appear.

Data Delegation Requests Pending Approval											Search for CRID or MID
	RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	ACTION
	94825367 (2 requ...										✓ ✕
	94825367	IV COMM...	ALL	Payment	IV_Comm...	94825368	IV DELEGA...	ALL	07/28/2020	07/28/202...	✓ ✕

- The requests will appear in the Data Delegation Authorization History table at the bottom of the page. The users of the delegating and receiving CRIDs will be notified according to their notification settings.

Modifying & Deleting Existing Delegations

(BSA, BSA Delegate, and Data Delegation Managers Only)

- **This section is restricted to BSAs, BSA Delegates, and Data Delegation Managers.**

- Delegators can modify any delegation at any time, for any reason.
 - Any changes made will be effective from the date of modification forward.

- **The following modifications are available for MQD delegations:**
 1. **Updating the end date to a date (today or future)**
 - If you would like to update the end date so data is delegated indefinitely, please contact the [IV Solutions Center](#).

- **If you would like to change any other aspect of the delegation** (including the recipients or data types), a new delegation must be created.
 - If desired, you can delete the existing delegation using the instructions in this section.

- Proceed as follows:
 - [Modifying an Existing Delegation](#)
 - [Deleting an Existing Delegation](#)

To modify an existing delegation, complete the following:

1. Access the **Manage Data Delegation** page and locate the delegation in the Data Delegation Authorization History table at the bottom of the page.


Data Delegation Authorization History 											Search for CRID or MID	
RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE ▾	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	STATUS	DETAILS	
94825367	IV COMMUNI...	ALL	Piece	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 	
94825367	IV COMMUNI...	ALL	Payment	IV_Commu...	94825368	IV DELEGAT...	ALL	07/28/20...	07/28/202...	Request Ap...	 	
94825367	IV COMMUNI...	ALL	Payment	IV_Commu...	94825368	IV DELEGAT...	ALL	07/28/20...	07/28/202...	Request Ap...	 	
94825367	IV COMMUNI...	ALL	Payment	IV_Commu...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ca...		
94825367	IV COMMUNI...	ALL	Package	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 	
94825367	IV COMMUNI...	ALL	Package	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 	
94825367	IV COMMUNI...	ALL	Package	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 	






 items per page
 1 of 10 of 20 items

2. Click the Modify  icon for the delegation. A Modify Delegation pop-up will appear, listing the details for the delegation. You can update the end dates as desired. When you have finished, click **UPDATE DELEGATION**.
 - If you would like to update the end date so data is delegated indefinitely, please contact the [IV Solutions Center](#).



Modify Delegation ×

Last Update Date/Time:

Requesting CRID(s): 94825368 (IV DELEGATORS)
Requesting MID(s): ALL


Data Type
Transactions
Data Type Details
Address Quality

Choose Delegation Effective Date Range

FROM 07/31/2020  TO 12/31/2020 

DELETE DELEGATION UPDATE DELEGATION

3. A success message will appear. The delegation recipients will be notified of the modifications according to their notification settings.



Success ×

Your request has been submitted successfully.

OK

- Delegates can delete any delegation at any time, for any reason.
 - Once a deletion is made, the change will be reflected within about 15 minutes.
 - All deletions are final. If a delegation is deleted by accident, a new delegation must be created.


■ To delete an existing delegation, complete the following:

1. Access the **Manage Data Delegation** page and locate the delegation in the Data Delegation Authorization History table at the bottom of the page.

Data Delegation Authorization History 											Search for CRID or MID
RECEIVING CRID	RECEIVING COMPANY	RECEIVING MID	MAIL OBJECT TYPE ▾	REQUESTOR	DELEGATING CRID	DELEGATING COMPANY	DELEGATING MID	REQUEST DATE	EFFECTIVE FOR	STATUS	DETAILS
94825367	IV COMMUNI...	ALL	Piece	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 
94825367	IV COMMUNI...	ALL	Payment	IV_Commu...	94825368	IV DELEGAT...	ALL	07/28/20...	07/28/202...	Request Ap...	 
94825367	IV COMMUNI...	ALL	Payment	IV_Commu...	94825368	IV DELEGAT...	ALL	07/28/20...	07/28/202...	Request Ap...	 
94825367	IV COMMUNI...	ALL	Payment	IV_Commu...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ca...	
94825367	IV COMMUNI...	ALL	Package	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 
94825367	IV COMMUNI...	ALL	Package	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 
94825367	IV COMMUNI...	ALL	Package	IV_Comms...	94825368	IV DELEGAT...	ALL	02/18/20...	02/18/202...	Request Ap...	 


 1 2 10 items per page
 1 of 20 items

2. Click the Modify  icon. A Modify Delegation pop-up will appear, listing the details for the delegation. Click **DELETE DELEGATION**.



Modify Delegation ×

Last Update Date/Time:

Requesting CRID(s): 94825367 (IV COMMUNICATORS)
Requesting MID(s): ALL


Data Type
iCAPS Invoices

Choose Delegation Effective Date Range

FROM 07/28/2020  TO Leave blank for no end 

DELETE DELEGATION **UPDATE DELEGATION**

3. A Confirm pop-up will appear, listing the CRIDs and MIDs in the delegation. In the **Select Reason(s)** dropdown, choose a reason and click **DELETE**.



Confirm ×

Select Reason(s)

CRID/MID Owner denied request 

DELETE **CANCEL**

4. A success message will appear, confirming that the delegation was deleted. Click **OK**. Once a deletion is made, the change will be reflected within about 15 minutes.

